PREFACE

The United States and Japanese counterpart panels on Aquaculture were formed in 1969 under the United States-Japan Cooperative Program in Natural Resources (UJNR). The UJNR-Aquaculture panels currently include specialists drawn from the government and academic departments most concerned with aquaculture. Charged with exploring and developing bilateral cooperation, the panels have focused their efforts on exchanging information related to aquaculture that could be of benefit to both countries.

The UJNR was begun during the Third Cabinet Level Meeting of the Joint United States-Japan Committee on Trade and Economic Affairs in January 1964. In addition to aquaculture, current subjects in the program include toxic microorganisms, air pollution, energy, forage crops, national park management, mycoplasmosis, wind and seismic effects, protein resources, forestry, and several joint panels and committees in marine resource research, development, and utilization.

Accomplishments of the Aquaculture panels include: increased communication and cooperation among technical specialists; exchanges of scientists and students; focusing of efforts to issues of major international concerns such as disease transmission and stock enhancement; exchanges of information, data, and research findings; annual meetings of the panel, a policy-coordinating body; administrative staff meetings; exchanges of equipment, materials, and samples; several major technical conferences; and beneficial effects of international relations.

The 28th U.S.-Japan Aquaculture Panel Business Meeting, two Symposia, and several field trips were held from 7-16 November 1999 on the islands of Oʻahu, Maui, and Hawaiʻi. The primary Symposium was held in Kihei, Maui, from 10-12 November and was organized by program chair Dr. Charles E. Helsley, Sea Grant Director and Dr. Clyde S. Tamaru, Sea Grant Extension Aquaculture Specialist at the University of Hawaiʻi at Manoa. The mini-symposium was held on Oʻahu covering current aquaculture research activity in the State of Hawaiʻi.



Participants in the 28th UJNR Aquaculture Panel Symposium, held in Kihei, Hawai'i, U.S.A., November 10-12, 1999.



Dr. Clyde Tamaru calling the meeting to order. Photo courtesy of Dr. H. Ohta.

CONTENTS H. Ako C.S. Tamaru L. Asano B. Yuen M. Yamamoto	Achieving Natural Coloration in Fish Under Culture	1
S.M. Arce S.M. Moss B.J. Argue	Artificial Insemination and Spawning of Pacific White Shrimp Litopenaeus vannamei: Implications for a Selective Breeding Program	5
H. Fushimi S. Watanabe	Problems in Species Identification of the Mud Crab Genus <i>Scylla</i> (Brachyura: Portunidae)	9
C. Helsley	Hawai'i Open Ocean Aquaculture Demonstration Program	15
R.G. Hodson R.W. Clark M.S. Hopper A.S. McGinty G.M. Weber C.V. Sullivan	Reproduction of Domesticated Striped Bass: Commercial Mass Production of Fingerlings	23
G.J. Holt C.M. Riley	Laboratory Spawning of Coral Reef Fishes: Effects of Temperature and Photoperiod	33
K. Ikuta T. Yada S. Kitamura T. Kaneko M. Nagae A. Ishimatsu M. Iwata	Effects of Acidification on Fish Reproduction	391
B.G. Kim C.L. Brown	Hormonal Manipulation of Digestive Enzyme Ontogeny in Marine Larval Fishes - Effects on Digestive Enzymes	47
M. Koiso	Assessment of the Growth Potential of the Rotifer <i>Brachionus Plicatilis</i> by Evaluating Biological and Physiological Characteristics	57
K. Mushiake	Achieving Advanced Maturation and Spawning in Yellowtail <i>Seriola</i> quinqueradiata by the Manipulation of Photoperiod and Water Temperature	61
T. Nakasone S. Akeda	The Application of Deep Sea Water in Japan	69

H. Ohta K. Ikeda H. Kagawa H. Tanaka T. Unuma	Acquisition and Loss of Potential for Motility of Spermatozoa of the Japanese Eel <i>Anguilla japonica</i>	77
K.I. Reitan G. Øie H.R. Reinertsen O. Vadstein Y. Olsen	Enhanced Nutrient Supply to Norwegian Coastal Waters: Effects on Growth of Scallops and Blue Mussels	83
Y. Seto S. Doi	Seed Production Trial of the Deep-sea Whelk <i>Buccinum bayani</i> Using Deepsea Water	85
J. Shoji H. Fujimoto A. Iwamoto T. Maehara M. Tanaka	Managing the Culture of a Completely Piscivorous and Voracious Larvae, Japanese Spanish Mackerel <i>Scomberomorus niphonius</i> : Experimental Estimation of Daily Food Consumption	89
T.I.J. Smith M.R. Denson	Controlled Spawning of Southern Flounder <i>Paralichthys lethostigma</i> : Issues and Progress	97
C.S. Tamaru H. Ako	Using Commercial Feeds for the Culture of Freshwater Ornamental Fishes in Hawai'i	109
G. Treece	Shrimp Maturation and Spawning	121
C.C. van Maaren J. Kita H.V. Daniels	Temperature Tolerance and Oxygen Consumption Rates for Juvenile Southern Flounder <i>Paralichthys lethostigma</i> Acclimated to Five Different Temperatures	135
W.O. Watanabe P.M. Carroll H.V. Daniels	Recent Progress in Controlled Reproduction of Southern Flounder Paralichthys lethostigma	141
M.N. Wilder WJ. Yang D.T.T. Huong M. Maeda T.T.H. Tran Q.P. Truong T.P. Nguyen	Recent Mechanisms in the Giant Freshwater Prawn, <i>Macrobrachium rosenbergii</i> and Cooperative Research to Improve Seed Production Technology in the Mekong Delta Region of Vietnam	149

O. Yada A. Furukawa	Relationship Between External and Internal Morphological Changes and Feeding Habits in the Fry Stage of Japanese Catfish <i>Silurus asotus</i>	157
T. Yada T. Azuma T. Kaneko N. Naito	Studies on the "Cobalt" Variant of Rainbow Trout	163
Acknowledgments		167
Appendix — Conference Attendees		168